

## Q4 2020 SURPLUS STOCK LIST

S/N	ITEM	SPEC.	QTY.(pcs)
1	Drill Pipe	Φ127*9.19*9600±150mm, Grade: G105, IEU, Connection: NC50, Without hardbanding and internal coating	300
2	Spiral Drill Collar	OD: 165.1mm, ID: 71.4mm, Connection: NC46. Length 9450±150mm	120
3	Spiral Drill Collar	OD: 203.2mm, ID: 71.4mm, Connection: 6 5/8REG. Length 9450±152.4mm	110
4	Spiral Drill Collar	OD: 228.6mm, ID: 71.4mm, Connection: 6 5/8REG. Length 9450±152.4mm	17
5	Spiral Drill Collar	OD: 241.3mm, ID: 76.2mm, Connection: 7 5/8REG. Length 9450±150mm	95
6	Slick Drill Collar	OD: 241.3mm, ID: 76.2mm, Connection: 7 5/8REG. Length 9450±150mm	100
7	Non-magnetic Spiral Drill Collar	OD: 165.1mm, ID: 71.4mm, Connection: NC46. Length 4500±150mm	5
8	Non-magnetic Spiral Drill Collar	OD: 177.8mm, ID: 71.4mm, Connection: NC50. Length 4500±150mm	12
9	Heavy Weight Drill Pipe	Body OD: 88.9mm, Joint OD: 120.65mm, ID: 57.2mm, Length: 9450±152.4mm, Connection: NC38	60
10	Square Kelly	Size: 88.9mm, Top Box: 6 5/8REG-LH, Bottom Pin: NC38, Overall length: 12.19m	20
11	Square Kelly	Size: 133.4mm, Top Box: 6 5/8REG-LH, Bottom Pin: NC46, Overall length: 12.19m	20
12	Hexagonal Kelly	Size: 133.4mm, Top Box: 6 5/8REG-LH, Bottom Pin: NC46, Overall length: 12.19m	20
13	Trilateral Kelly	Size: 133.4mm, Top Box: 6 5/8REG-LH, Bottom Pin: NC46, Overall length: 12.19m	3

S/N	ITEM	SPEC.	MATERIAL	QTY.(pcs)	QTY.(tons)
1	PIPE	60.32*4.83 R2	L80-13Cr	6	0.4
2	PIPE	88.9*6.45	L80-13Cr	11	1.4
3	TUBING	88.9*6.45 EUE,PIN TO PIN,1.83meters	L80-13Cr	12	0.3
4	PIPE	88.9*9.52	L80-13Cr	60	10.6
5	TUBING	114.3*6.88 PIN TO PIN,BTC,1.82meters	L80-13Cr	5	0.17
6	PIPE	139*7.72 R3	L80-13Cr	150	42.8
7	PIPE	168*8.94 R3	L80-13Cr	13	4.625
8	TUBING	168.3*10.59 BTC R3	L80-13Cr	11	4.473
9	PIPE	178*10.36	L80-13CR	11	6.02
10	CASING	193.68*9.52	L80-13Cr	8	3.485
11	TUBING	73*5.51 BGT1 R2	BG110-13Cr	20	1.82
12	TUBING	89*6.45 BGT1 R2	BG110-13Cr	54	7.52
13	TUBING	139.70*9.17	BG110-3Cr	19	5.842

S/N	ITEM	SPEC.	LENGTH	GRADE	QTY.(pcs)	GRADE	QTY.(pcs)
1	TUBING PUP JOINT	2-3/8 4.7 EU	10FT	N80	/	L80	5
2	TUBING PUP JOINT	2-3/8 4.7 EU	12FT	N80	/	L80	5
3	TUBING PUP JOINT	2-7/8 6.5 EU	4FT	N80	20	L80	35
4	TUBING PUP JOINT	2-7/8 6.5 EU	6FT	N80	35	L80	60
5	TUBING PUP JOINT	2-7/8 6.5 EU	8FT	N80	45	L80	60
6	TUBING PUP JOINT	2-7/8 6.5 EU	10FT	N80	25	L80	55
7	TUBING PUP JOINT	2-7/8 6.5 EU	12FT	N80	25	L80	/
8	TUBING PUP JOINT	3-1/2 9.3 EU	4FT	N80	50	L80	/
9	TUBING PUP JOINT	3-1/2 9.3 EU	6FT	N80	35	L80	15
10	TUBING PUP JOINT	3-1/2 9.3 EU	8FT	N80	35	L80	15
11	TUBING PUP JOINT	3-1/2 9.3 EU	10FT	N80	35	L80	15
12	TUBING PUP JOINT	3-1/2 9.3 EU	12FT	N80	30	L80	/
13	BALST JOINT/ FLOW COUPLING	3-1/2 9.3 EU OD4.5",ID2.992"	6FT	N80	/	L80	10

---

S/N	ITEM	SPEC.	MATERIAL	QTY.(pcs)
1	COUPLING	1.9 NU	N80	2090
2	COUPLING	2-3/8" NU	J55	2086
3	COUPLING	2-7/8" NU	J55	4000
4	COUPLING	2-7/8" EU	J55	7494
5	COUPLING	2-7/8" EU	N80	12120
6	COUPLING	3-1/2" NU	J55	3580
7	COUPLING	3-1/2" NU	N80Q	1973
8	COUPLING	3-1/2" NU	P110	8079
9	COUPLING	3-1/2" EU	J55	1241
10	COUPLING	3-1/2" EU	L80	2580
11	COUPLING	9-5/8" LC	J55	80
12	COUPLING	13-3/8" BC	K55	104